

## LIST OF FIGURES

	<b>Title</b>	<b>Page No.</b>
1.1	Specification of Solid Carbide Drill	1
1.2	Drilling Process	2
1.3	Fishbone Diagram	3
1.4	The Independent Variables	3
1.5	The Dependent Variables	4
1.6	Microstructure of Duplex Stainless Steel	5
1.7	Continuous Chip	6
1.8	Discontinuous Chip	7
1.9	Built-Up Edge	7
1.10	Serrated Chip	8
1.11	Surface Roughness	8
1.12	Tool Wear Analysis	9
1.13	Hole Deviation Error	10
1.14	Environmental-Friendly Machining	12
1.15	Basic Process of Dry Machining	13
1.16	Basic Process of MQL Machining	14
1.17	Basic Process of MQL-Nano Machining	14
1.18	Basic Process of Cryogenic Machining	15
1.19	Basic Process of High-Pressure Cooling	16
1.20	Types of Optimization Techniques	17
1.21	Plan of Action	19
2.1	Summary of Literature	54
3.1	Flow Chart of GA Methodology	63
3.2	ANN Model Structure	64
3.3	Operation of Fuzzy Logic System	65
3.4	Membership Function	66
3.5	ANFIS Model Structure	68

	<b>Title</b>	<b>Page No.</b>
4.1	CNC Machine	70
4.2	Machined Workpiece	71
4.3	Cutting Tool	71
4.4	Geometry of Tool Holder	72
4.5	Tool Holder	72
4.6	Design of MQL Setup	73
4.7	Attachment of LCO <sub>2</sub> Setup	76
4.8	Surface Roughness Tester	77
4.9	Setup of CMM	78
4.10	Tool Pre-Setting Device	78
4.11	Hybrid MQL-LCO <sub>2</sub> Setup	85
4.12	Shows Surface Roughness	87
4.13	Principle of Hole Deviation	88
4.14	Basic concept of cylindricity error	88
4.15	Basic concept of circularity error	89
5.1	Main Effect Plot for Means of Ra	91
5.2	Interaction Plot for Ra	92
5.3	The Best Value of Ra	93
5.4	Graphical Representation of Response Table	94
5.5	Graphical Representation of Contribution of Parameters	95
5.6	Residual Plot for Ra	96
5.7	Contour Plot Between Input Variables to Response	97
5.8	Chart of The Confirmation Test	98
5.9	Main Effect Plot for Means of Ra	100
5.10	Main Effect Plot for Means of Hole Deviation	101
5.11	Interaction Plot for Ra	102
5.12	The Best Value for Ra	103
5.13	Interaction Plot for Hole Deviation	103
5.14	The Best Value of Hole Deviation	104

	<b>Title</b>	<b>Page No.</b>
5.15	Graphical Representation of Responses for Ra	105
5.16	Graphical Representation of Response for Hole Deviation	107
5.17	Graphical Representation of Contribution of Process Parameters for Ra	108
5.18	Graphical Representation of Contribution of Process Parameters for Hole Deviation	109
5.19	Residual Plot for Ra	111
5.20	Residual Plot for Hole Deviation	111
5.21	Contour Plot	112
5.22	Comparison Chart for Ra	116
5.23	Comparison Chart for Hole Deviation	117
5.24	The Optimized Value of Ra	119
5.25	The Optimized Value of Hole Deviation	120
5.26	Tool Wear Analysis	121
5.27	Main Effect Plot for Hole Deviation	123
5.28	Main Effect Plot for Cylindricity Error	124
5.29	Main Effect Plot for Circularity Error	125
5.30	Interaction Plot for Hole Deviation	125
5.31	The Best Value of Hole Deviation	126
5.32	Interaction Plot of Cylindricity Error	127
5.33	The Best Value of Cylindricity Error	128
5.34	Interaction Plot of Circularity Error	128
5.35	The Best Value of Circularity Error	129
5.36	Graphical Representation of Contribution of Process Parameters for Hole Deviation	130
5.37	Graphical Representation of Contribution of Process Parameters for Cylindricity Error	132
5.38	Graphical Representation of Contribution of Process Parameters for Circularity Error	133
5.39	Normal Residual Plot for Responses	134
5.40	Contour Plot for Responses	137

	<b>Title</b>	<b>Page No.</b>
5.41	ANN Model Structure	138
5.42	Input Window	139
5.43	Regression Plot & Mean Square Error for Responses	140
5.44	The Surface Plot of the Hole Deviation	142
5.45	The Surface Plot of the Cylindricity Error	142
5.46	The Surface Plot of the Circularity Error	143
5.47	FIS File	144
5.48	Membership Function for Drill Diameter	144
5.49	Membership Function of Spindle Speed	145
5.50	Membership Function of Feed Rate	145
5.51	Membership Function of Hole Deviation	146
5.52	Membership Function of Cylindricity Error	146
5.53	Membership Function of Circularity Error	147
5.54	Rules File	148
5.55	Shows the Predicated Value for Hole Deviation	149
5.56	3-D Surface Plot for Responses	150
5.57	General Structure of ANFIS	153
5.58	Neural Network Model for Responses	154
5.59	Input Window	154
5.60	Initial Loading of Training Data for Hole Deviation	155
5.61	Initial Loading of Testing Data for Hole Deviation	155
5.62	Comparison of Experimental to Predicated for Hole Deviation	156
5.63	Initial Loading of Training Data for Cylindricity Error	156
5.64	Initial Loading of Testing Data for Cylindricity Error	156
5.65	Comparison of Experimental to Predicated for Cylindricity	157
5.66	Initial Loading of Training Data for Circularity Error	157
5.67	Initial Loading of Testing Data for Circularity Error	158
5.68	Comparison of Experimental to Predicated for Circularity	158
5.69	Comparison Chart Experimental Value to Predicated Value for Hole Deviation	160

	<b>Title</b>	<b>Page No.</b>
5.70	% of Error Experimental Value to Predicated Value for Hole Deviation	161
5.71	Comparison Chart Experimental Value to Predicated Value for Cylindricity Error	163
5.72	% of Error Experimental Value to Predicated Value for Cylindricity Error	164
5.73	Comparison Chart Experimental Value to Predicated Value for Circularity Error	166
5.74	% of Error Experimental Value to Predicated Value for Circularity Error	168
5.75	Total % of error	169
5.76	Closeness Coefficient of the Experimental Run	173



## LIST OF TABLES

	Page No.	
2.1	Brief overview of literature on cooling techniques	40
2.2	Brief overview of literature on optimization techniques & modelling	50
3.1	Types of Design	58
3.2	Types of Observation	60
3.3	Types of Response Table	60
3.4	Membership Function	66
4.1	Specification of CNC Machine	69
4.2	Chemical Composition of DSS 2205	70
4.3	Specifications of MQL Setup	74
4.4	Characteristics of Vegetable Oil	74
4.5	Specifications of LCO <sub>2</sub> Setup	75
4.6	Characteristics of LCO <sub>2</sub> Setup	76
4.7	Level of Process Parameters	79
4.8	Set of Experiments	80
4.9	Experimental Conditions Details	81
4.10	Level of Process Parameters	82
4.11	Set of Experiments Under Dry, MQL, and LCO <sub>2</sub> Conditions	82
4.12	The Characteristics of the MQL-LCO <sub>2</sub> Setup	83
4.13	Chemical Composition of DSS 2205	84
4.14	Level of Process Parameters	84
4.15	Set of Experiments Under the Hybrid Cooling Condition	86
5.1	Experimental Results for Ra Under Dry, and Wet Conditions	90
5.2	Response Table	93
5.3	ANOVA Analysis for Ra	94
5.4	Confirmation Test	98
5.5	Experimental Results for Responses Under Dry, MQL, and LCO <sub>2</sub> Conditions	99

---

---

	Page No.	
5.6	Response Table for S/N Ratio of Ra	105
5.7	Response Table for S/N Ratio of Hole Deviation	106
5.8	ANOVA Analysis for Ra	108
5.9	ANOVA Analysis for Hole Deviation	109
5.10	Level of Process Parameter for a Confirmation Test	116
5.11	Comparison of Experimental Value and Predicated Value	116
5.12	Confirmation Test in Term of S/N Ratio of Ra and Hole Deviation	117
5.13	Experimental Results Under Hybrid MQL-LCO <sub>2</sub> Condition	122
5.14	ANOVA Analysis for Hole Deviation	130
5.15	ANOVA Analysis for Cylindricity Error	131
5.16	ANOVA Analysis for Circularity Error	133
5.17	ANN Model Parameters	139
5.18	The Rules Applied for Response Value Prediction	147
5.19	Experimental Value and Predicated Value for Hole Deviation	160
5.20	% of Error for Hole Deviation	161
5.21	Experimental Value and Predicated Value for Cylindricity Error	162
5.22	% of Error for Cylindricity Error	164
5.23	Experimental Value and Predicated Value for Circularity Error	165
5.24	% of Error for Circularity Error	167
5.25	Total % of error	168
5.26	Normalised Matrix	170
5.27	Normalised Weighted Matrix	171
5.28	Closeness Coefficient and Ranking of Alternatives	173

---

---